

SAFETY DATA SHEET

AerisGuard Bioactive Coil Treatment

SECTION 1: IDENTIFICATION

PRODUCT NAME(S):	AerisGuard Bioactive Coil Treatment	
Product code	AG-CT-5	
Uses:	For application on HVAC heat exchange coils	
Product Form:	Liquid Mixture	
Company Name:	Aeris Environmental Ltd, 5/26-34 Dunning Ave, Rosebery, NSW 2018, Australia	
Emergency Contact	In Australia: 02 83441315	
number:	EU: +356 9940 3485	
Relevant identified uses of th	ne substance or mixture and uses advised against	
For application on HVAC heat exchange coil		

<u>Uses advised against</u> No additional information available

Details of the supplier of the Safety Data Sheet

Supplier:

Aeris Environmental Ltd, Level 1, Unit 5 / 26-34 Dunning Ave, Rosebery, NSW 2018 AUSTRALIA Phone: +61 2 8344 1315 Fax: +61 2 96970944

Aeris Cleantech Europe Ltd 11, St. Francis, Triq Ta'Gawdieri, San Gwann, SGN1740 Malta

SECTION 2: HAZARDS IDENTIFICATION

GHS classification and labelling of chemicals: Flam. Liquid 2, Skin irritation 2, Eye irritation 2.

Label elements:

Hazard Pictogram:



Signal word: DANGER, Warning

<u>Hazard statement:</u> H225: Highly flammable liquid and vapour. H319: Causes Serious eye irritation

SDS-032 Rev02 Bioactive Coil Treatment.docx

Page 1 of 8





H315: Causes Skin irritation H402: Harmful to aquatic life

Precautionary statements:

P210:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
P233:	Keep container tightly closed.
P242:	Use only non-sparking tools.
P243:	Take precautionary measures against static discharge.
P264:	Wash hands thoroughly after handling.
P280:	Wear protective gloves/protective clothing/eye protection/face protection
P284:	In case of inadequate ventilation wear an approved organic vapour respiratory protection.
P303+P361+P353:	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P305+351+338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if
	present and easy to do – continue rinsing.
P337+313:	If eye irritation persists get medical advice/attention.
P403+P235:	Store in a well-ventilated place. Keep cool.

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NO	PROPORTION % w/w
Alkyl(C12-16) dimethylbenzylammonium	[68424-85-1]	0.10 – 3.0 % w/w
chloride		
Ethyl Alcohol	[64-17-5]	60 - 100% w/w
Ingredients determined not to be hazardous	[NA]	5-20% w/w

SECTION 4: FIRST AID

SECTION INTINGTINE	
First - aid measures general:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First - aid measures after inhalation:	Remove patient to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Get medical attention.
First-aid measures after skin contact:	Remove contaminated clothing, wash skin with water and seek medical attention if symptoms persist.
First-aid measures after eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.
First-aid measures after ingestion:	Do not induce vomiting. If conscious, give water to rinse mouth and one or two glasses of water to drink. Contact a doctor or a Poisons Information Centre.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries:	Eye irritation.
Symptoms/injuries after inhalation:	Might cause dizziness.
Symptoms/injuries after skin contact:	Skin irritation.
Symptoms/injuries after eye contact:	Causes eye irritation.
Symptoms/injuries after ingestion:	Ingestion of ethanol may cause harmful central nervous system effects. Effects may include excitation, euphoria, headache, dizziness, drowsiness, blurred vision, fatigue, tremors,

SDS-032 Rev02 Bioactive Coil Treatment.docx

Page 2 of 8





convulsions, loss of consciousness, coma, respiratory arrest and death. Severe acute intoxication may cause hypoglycaemia, hypothermia, and extensor rigidity. Other Effects may include decreased blood pressure, vomiting blood and blood changes. Aspiration into the lungs may cause pneumonitis.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media:

Use water fog (or fine water spray), carbon dioxide, dry chemical or alcohol resistant foam to extinguish.

Special hazards arising from the substance or mixture:

Hazardous decomposition products may be released during prolonged heating: smoke, carbon monoxide and carbon dioxide.

Advice for firefighters:

Exercise caution when fighting any chemical fire.

Protective equipment for firefighters:

Use self- contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self-contained breathing apparatus.

Other information:

Hazardous decomposition products may be released during prolonged heating at temperatures exceeding 100°C - smokes, carbon monoxide and dioxide.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General measures:

- Remove all ignition sources. No smoking.
- Avoid breathing vapours. In case of inadequate ventilation wear an approved organic vapour respirator.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Dispose of contents/container to an approved waste disposal plant.
- Collect spillage.
- Avoid release to the environment.

For non-emergency personnel:

• Evacuate unnecessary personnel.

For emergency responders

- Protective equipment:
- Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

• Stop leak if safe to do so, ventilate area if possible.

SDS-032 Rev02 Bioactive Coil Treatment.docx

Page 3 of 8





Environmental precautions:

Avoid release to the environment. Collect major spillage. Wash off minor spill with copious amounts of water.

Methods and material for containment and cleaning up:

Soak up major spills with inert solids, such as clay or diatomaceous earth as soon as possible. Avoid high pressure rinsing. Comply with applicable local, national and international regulation. Collect spillage. The collected spillage should be kept cool, away from other materials, from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Residue and minor spill may be washed down with water to a sanitary sewer with copious amounts of water.

<u>Reference to other sections:</u> Section 8. Exposure controls and personal protection

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	ng
P210:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P235:	Keep cool.
P241:	Use explosion-proof electrical/ventilating/lighting/equipment.
P242:	Use only non-sparking tools.
P243:	Take precautionary measures against static discharge.
P261:	Avoid breathing vapours/spray
P264:	Wash hands thoroughly after handling.
P280:	Wear protective gloves/protective clothing/eye protection/face protection.
P284:	In case of inadequate ventilation wear respiratory protection.

In case of inadequate ventilation wear respiratory protection (e.g. solvent mask). For bulk liquid:

P240:	Ground/bond container and receiving equipment.

Conditions for safe storage, including any incompatibilities:

No smoking.P235:Keep cool.P240:Ground/bond container and receiving equipment.P241:Use explosion-proof electrical/ventilating/lighting/equipment.P242:Use only non-sparking tools.P243:Take precautionary measures against static discharge.	P210:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
P240:Ground/bond container and receiving equipment.P241:Use explosion-proof electrical/ventilating/lighting/equipment.P242:Use only non-sparking tools.		No smoking.
P241:Use explosion-proof electrical/ventilating/lighting/equipment.P242:Use only non-sparking tools.	P235:	Keep cool.
P242: Use only non-sparking tools.	P240:	Ground/bond container and receiving equipment.
	P241:	Use explosion-proof electrical/ventilating/lighting/equipment.
P243: Take precautionary measures against static discharge.	P242:	Use only non-sparking tools.
r = .e. ruite presuutionary measures against statie disentarge.	P243:	Take precautionary measures against static discharge.

Store below 25°C. Store upright in original containers. Keep away from strong acids, strong oxidising substances.

Specific end use(s):

Read the Standard Operating Procedure and this SDS before using the product.

SDS-032 Rev02 Bioactive Coil Treatment.docx





SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION					
Control paramet	ers				
Workplace expo	sure limits (from V	Worksafe Australia)			
Name	Cas No	TWA	TWA	STEL	STEL
	(ppm)	(mg/m3) (ppm)	(mg/m3)		
Ethyl alcohol	64-17-5	1000	1880	-	-
Exposure controls					
		MA			

These measures are recommended on the basis of common application methods and may not be appropriate to all potential applications of the product. The user is responsible for carrying out a full risk assessment for their specific processes and systems of work.

Eye protection:	Wear eye protection to EN 166.
Body protection:	Wear protective clothing to prevent contact.
Respiratory protection:	Use in a well-ventilated area. Avoid breathing vapour or spray. If ventilation is
	inadequate, wear an approved organic vapour respirator.
Other protection:	Wear PVC or Neoprene gloves.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:			
Appearance:	A clear, pink coloured alcoholic liquid		
Flash point:	17°C (Pensky-Martens closed cup)		
Boiling Point:	78 − 84 °C		
Specific gravity:	0.78 - 0.84 @ 20°C		
Solubility in water:	Partially soluble, insoluble material forms a polymer film.		
Reactivity in water/air:	Not reactive		
Incompatibility (materials to avoid)	Strong oxidizers		
pH Level:	4.0-8.0		

<u>Other information:</u> No additional information available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

Stable under normal working/storage condition.

Chemical stability:

Stable under normal working/storage condition. Reacts slowly with calcium hypochlorite, silver oxide and ammonia, causing fire and explosion hazard.

Possibility of hazardous reactions:

Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate or magnesium perchlorate, causing fire and explosion hazard.

Conditions to avoid:

Heat, flames and sparks, storing at temp above 25°C, under the sun.

SDS-032 Rev02 Bioactive Coil Treatment.docx

Page 5 of 8

Aeris Environmental Ltd
ABN: 19 093 977 336
5/26-34 Dunning Ave, Rosebery NSW 2018
Tel: + 61 2 8344 1315
Fax: +61 2 9697 0944
www.aerisenvironmental.com
info@aeris.com.au





Incompatible materials:

Strong oxidising agents, strong acids, silver nitrate, mercuric nitrate, metal perchlorate.

Hazardous decomposition products Carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Eye contact: Classified as eye irritation category 2

<u>Skin contact:</u> Classified as skin irritation category 2

Inhalation: Not classified Based on available data, the classification criteria are not met

Ingestion:

Not classified, however persons with pre-existing liver impairment, skin and respiratory disorders may be at an increased risk from exposure. Ethanol may also cause adverse reproductive effects. Concurrent absorption of ethanol and some drugs may cause adverse health effects. Ingestion of beverages containing ethanol by pregnant women is associated with "foetal alcohol syndrome" in their babies. The International Agency for Research of Cancer (IARC) has evaluated alcohol drinking as "Group 1 – carcinogenic to humans".

<u>Respiratory/skin sensitisation:</u> Not classified Based on available data, the classification criteria are not met

<u>Germ cell mutagenicity:</u> Not classified Based on available data, the classification criteria are not met

<u>Carcinogenicity:</u> Not classified Based on available data, the classification criteria are not met

<u>Reproductive toxicity:</u> Not classified Based on available data, the classification criteria are not met

<u>Specific target organ toxicity (single exposure):</u> Not classified Based on available data, on criteria are not met

<u>Aspiration hazard:</u> Not classified Based on available data, on criteria are not met. Aspiration of alcohol into the lungs may cause pneumonitis.

Potential Adverse human health effects and symptoms: Causes skin and eye irritation.

SDS-032 Rev02 Bioactive Coil Treatment.docx



Page 6 of 8

Aeris Environmental Ltd
ABN: 19 093 977 336
5/26-34 Dunning Ave, Rosebery NSW 2018

• Tel: + 61 2 8344 1315 • Fax: +61 2 9697 0944 • www.aerisenvironmental.com • info@aeris.com.au •



SECTION 12: ECOLOGICAL INFORMATION

<u>Toxicity</u> Harmful to aquatic life.

Persistence and degradability

Ingredients contained in this preparation are readily biodegradable.

<u>Bioaccumulative potential</u> Not classified as bioaccumulative.

<u>Mobility in soil</u> Unknown

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed as PBT (Persistent Bioaccumulative and Toxic) or vPvB (very Persistent very Bioaccumulative).

<u>Other adverse effects</u> No other adverse effects are anticipated.

SECTION 13: DISPOSAL CONSIDERATIONS

Avoid release to the environment.

Do not contaminate water, food or feed. Disposal of unwanted product should be done in accordance with local, state or national legislation. Empty containers should be rinse with large quantity of water. Could be disposed of to landfill or incinerated where permitted.

SECTION 14: TRANSPORT INFORMATION

Transport Classification: UN Number and shipping name: Transport Class: Packing Group: Environmental hazards: Special precautions for user Air transport IATA Class: Dangerous goods UN1170, Ethanol Class 3 flammable liquid II Not classified

Dangerous goods as above

SECTION 15: REGULATORY INFORMATION

All the ingredients are listed in the AICS and in REACH.

SECTION 16: OTHER INFORMATION

Abbreviations:	
HVAC	Heating Ventilation and Air Conditioning
GHS	Globally Harmonized System
TWA	Time Weighted Average
IATA	International Air Transport Association

The opinions expressed herein are those of qualified experts. We believe that the information contained herein is current as of the date of this SDS. Since the use of this information and these opinions and the conditions of use of the product are not within the control of Novapharm Research P/L it is the users' obligation to assure safe use of the product.

Date SDS revision: 30/05/22

-END-

SDS-032 Rev02 Bioactive Coil Treatment.docx

Aeris Environmental Ltd
ABN: 19 093 977 336
5/26-34 Dunning Ave, Rosebery NSW 2018
Tel: + 61 2 8344 1315
Fax: +61 2 9697 0944
www.aerisenvironmental.com
info@aeris.com.au



Revision History: TO BE DELETED WHEN CONVERTING TO PDF

Version	Revised Date	Changes
01	12/12/2017	New SDS
02	30/05/22	Update Product Code by EY

SDS-032 Rev02 Bioactive Coil Treatment.docx



Aeris Environmental Ltd
ABN: 19 093 977 336
5/26-34 Dunning Ave, Rosebery NSW 2018
Tel: + 61 2 8344 1315
Fax: +61 2 9697 0944
www.aerisenvironmental.com
info@aeris.com.au

Page 8 of 8