

SAFETY DATA SHEET

AERISGUARD CORROSION PROTECTION PLUS CLEAR

SECTION 1: IDENTIFICATION

PRODUCT NAME(S): AerisGuardTM Corrosion Protection PLUS Clear

Product code AG-CPC-5

AG-CPC-20

Uses: For coating aluminium HVAC coils including microchannel coils

Company Name:

Australia:

Aeris Environmental Ltd; 5/26-34 Dunning Ave, Rosebery, NSW 2018, Australia

USA:

Aeris Environmental, LLC; 70 FoxFarm Road, Phillipsburg, New Jersey 08865, USA

Europe:

Aeris Cleantech Europe Ltd; 11, St. Francis, Triq Ta'Gawdieri, San Gwann,

SGN1740, Malta

Emergency telephone number

Australia: +61 2 83441315 Europe: +356 9940 3485 The USA: 1-908 878 7985

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture
- 2.1.1 Classification according to GHS

Flammable liquid category 3, eye irritation category 2

2.2 Label elements

Labelling according to GHS

Hazard pictograms:





Signal word: WARNING

Hazard statements:

H226: Flammable liquid and vapour H319: Causes serious eye irritation.

Precautionary statements:

- P210 Keep away from sparks, open flames and other ignition sources. No smoking.
- P280: Wear protective gloves/protective clothing/eye protection
- P264: Wash hands thoroughly after handling.

SDS-018 Rev05 AerisGuard Corrosion Protection PLUS Clear.docx

Page 1 of 5





- P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do continue rinsing.
- P337+313: If eye irritation persists get medical advice/attention.
- 2.3 Other hazards None known

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS

Isopropanol (CAS No. 67-63-0) 5 - 20

Organic Ingredients determined not to be hazardous up to 40%w/w Water qs100%

SECTION	4.	FIRST	AID
SECTION	т.	111/21	ΔID

Eye contact: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do – continue rinsing. If eye

irritation persists get medical advice/attention.

Skin or clothing contact: If skin or clothing contact occurs, remove contaminated clothing

and flush with running water. If irritation occurs seek medical

attention. Wash contaminated clothing before re-use.

Ingestion: Immediately rinse mouth with water. If swallowed do NOT

induce vomiting. Give water to drink. Seek medical attention if

symptoms develop.

Inhalation: Remove victim from exposure. Keep at rest until fully recovered.

Seek medical advice.

Medical attention and special treatment: Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

Use water spray, alcohol resistant foam, dry chemical, carbon dioxide to extinguish.

Special hazards arising from the substance or mixture:

Hazardous decomposition products may be released during prolonged heating: smoke, carbon monoxide and carbon dioxide.

Advice for firefighters:

Exercise caution when fighting any chemical fire.

Protective equipment for firefighters:

Use self- contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self-contained breathing apparatus.

Other information:

Hazardous decomposition products may be released during prolonged heating at temperatures exceeding 100°C - smokes, carbon monoxide and dioxide.

SDS-018 Rev05 AerisGuard Corrosion Protection PLUS Clear.docx







SECTION 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

Emergency procedures: Slippery when spilled. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination. Do not touch or walk through spilled material.

Methods and materials for containment and clean up procedures: Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled drums for disposal. Wash area down with excess water to remove residual material.

SECTION 7: HANDLING AND STORAGE

- Do not get in eyes, on skin, or on clothing.
- Avoid breathing dust/fume/ gas/mist/vapours/spray.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Store in a closed container.
- Store at temperatures not exceeding 40°C/ 104°F

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Exposure Limits (Safe work Australia):

 Name
 Cas No
 TWA (ppm)
 TWA (mg/m3)
 STEL (ppm)
 STEL (mg/m3)

 Isopropyl alcohol
 67-63-0
 400
 983
 500
 1230

Personal protective equipment:

P280: Wear protective gloves/protective clothing/eye protection

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colourless liquid emulsion.

Solubility: Dispersible in water.

N Av = Not available





SECTION 10: STABILITY AND REACTIVITY

Chemical stability: Stable under normal conditions of use.

Conditions to avoid: Excessive heat.

Incompatible materials: Strong oxidising agents.

Hazardous decomposition products: Carbon monoxide and carbon dioxide.

Hazardous reactions: None assigned.

SECTION 11: TOXICOLOGICAL INFORMATION

Classified according to GHS classification:

Eye Irrit. 2 H319: Causes serious eye irritation.

None of the ingredients are in the IARC list of carcinogens.

SECTION 12: ECOLOGICAL INFORMATION

One of the ingredients is classified by GHS as harmful to aquatic organisms, avoid contaminating water way.

Ecotoxicity

No LC50 data available for this preparation.

Mobility

No data available for this preparation.

Avoid contaminating waterways.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: Empty containers should be forwarded to an approved agent for recycling. Avoid unauthorised discharge to sewer.

Special precautions for landfill or incineration: Material suitable for disposal by incineration through an approved agent.

SECTION 14: TRANSPORT INFORMATION

IATA

UN number : 1139

Proper shipping name : Coating solution

Transport hazard class : 3
Packing group : III
Environmental hazard : No

Road and Rail Transport

UN number : 1139

Proper shipping name : Coating solution

Transport hazard class : 3
Packing group : III
Environmental hazard : No

SDS-018 Rev05 AerisGuard Corrosion Protection PLUS Clear.docx







IMDG

UN number : 1139

Proper shipping name : Coating solution

Transport hazard class : 3 Packing group : III

Environmental hazard : Marine pollutant: No

SECTION 15: REGULATORY INFORMATION

Country/Region Inventory Status

All components of this material are listed on the US TSCS inventory All components of this material are listed on the Canadian Domestic Substances List (DSL)

SECTION 16: OTHER INFORMATION

"The information on this data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet, which involves using the product, or otherwise that in accordance with instructions of use on product packaging is the responsibility of the user. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact the Aeris Environmental Ltd, on +61 2 83441315

Date of SDS revision: 17/03/2023

END

